
numatics[®]

MPG5 Series

Miniature Parallel Gripper





www.numatics.com






MPG5 Miniature Parallel Gripper

The MPG5 gripper is designed for pick and place of small pieces. The cutting edge design of the MPG5 allows for manifold mounting a series of MPG5s in line without the concerns of space for fittings or airlines. Another unique feature of the MPG5 is the dual-purpose purge port that is part of every gripper, which facilitates use of the MPG5 in some clean room applications and very dirty environments.


- **A.** Shielded design for long service life. High grip force to weight ratio.
- **B.** Top porting allows units to be manifold-mounted, eliminating air fittings. Side and Top porting standard.
- C. Purge port will evacuate any contaminants from inside for a clean room environment. When pressurized, the purge will keep debris from entering the unit in dirty environments.
- D. Jaws are aluminum bronze alloy and T-Slot style to prevent jaw breakage.



Specifications


Grip Force Close 80 PSI	Grip Force Open 80 PSI	Stroke	Weight	Displacement	Maximum Operating Pressure
9 lbs.	9 lbs.	0.19	1.7 oz.	0.008 cu in	100 PSI

How To Order







Dimensions



Performance Data





Grip Force VS. Finger Length

L (Finger Length)	Closer Force @ 80 PSI		
1 inch	3.8 lbs. 1.7 Kgf		
1.5 inches	3.5 lbs. 1.6 Kgf		
2 inches	3.2 lbs. 1.4 Kgf		

Recommended Maximum Load Ratings

	MPG5		
Max Load Position A	12 in/lbs 0.904 Nm		
Max Load Position B	15 in/lbs 0.904 Nm		
Max Load Position C	12 in/lbs 5.4 Kgf		



World Class Supplier of Pneumatic Components



World Headquarters

USA Numatics, Incorporated 46280 Dylan Drive Novi, Michigan 48377

Numatics® is registered in the United States and elsewhere

P: 248-596-3200 F: 248-596-3201 **Canada Numatics, Ltd** P: 519-758-2700 F: 519-758-5540

México - Ascomatica SA de CVP: 52 55 58 09 56 40 (DF y Area metropolitana)
P: 01 800 000 ASCO (2726) (Interior de la República)
F: 52 55 58 09 56 60

Brazil Ascoval Ind.e Comercio Ltda P: (55) 11-4208-1700 F: (55) 11-4195-3970